

MATERIAL SAFETY DATA SHEET

1. Product and company identification

1.1. Trade name

PP3D

1.2. Company details

Recreus Industries S.L., C/El Envelope, F13-F14. Pol. Ind. Finca Lacy 03600, Elda, (Alicante) - Spain (0034) 865 777 966 info@recreus.com www.recreus.com

2. Hazards identification

- **2.1 Classification of the substance or mixture:** This product is not classified as dangerous for health or the environment according to EC norm 1272/2008/CE (CLP).
- **2.2 Label elements:** This product does not need dangerous label according to EC norm 1272/2008/CE (CPL).
- **2.3 Other hazards:** Results of the assessment of PBT and vPvB in the product, in accordance with the criteria set out in Annex XIII of REACH, can be found in Section 12.5 of this information note about product safety. Please refer to Sections 5, 6 and 7 of this information note about product safety for information on other dangers, different from classification dangers but which may contribute to the overall hazards of the product.

3. Composition/information on ingredients

3.1 Substances: Not applicable

3.2 Mixtures: Propylene-ethylene heterophasic copolymer with a degree of purity over 99% with additives. Dangerous components Reg. (CE) 1272/2008 (CLP): Not applicable.

4. First aid measures

4.1 Description of first aid measures

- Inhalation: Move the person to fresh air. Administer oxygen if necessary.
- Ingestion/Aspiration: It is not frequent. Intestinal absorption is very low.
- **Contact skin:** In case of burns with the molten polymer quickly cool material with abundant water. Do not remove the solidified product off burn without medical assistance. See a doctor and treat as a normal burn.





• Contact eyes: In case of burns with the molten polymer quickly cool material with abundant water. Do not remove the solidified product off burn without medical assistance. See a doctor and treat as a normal burn. In case of contact with eyes wash with plenty of water if necessary, keeping your eyes open for at least 15 minutes.

4.2 Most important symptoms and effects, both acute and delayed

- Inhalation: Powder polypropylene may be irritating to nose and throat. Vapors from melted product may cause irritation to the respiratory tract.
- Ingestion/Aspiration: This type of exposure is easy to prevent and infrequent. Not toxic if swallowed.
- Contact skin: Contact with molten product may cause burns.
- Contact eyes: Vapors from melted product and powdery material may be irritating to the eyes. Contact with molten product may cause burns.

4.3 Indication of any immediate medical attention and special treatment needed

Seek medical care.

5. Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: AFFF foam, dry chemicals powder, CO2, and water spray.

Unsuitable extinguishing media: Water applied directly in jet stream may disperse the product.

5.2. Special hazards arising from the substance or mixture

Combustion products: Complete combustion: CO2, and H2O. Incomplete combustion: CO, soot, aldehydes, ketones, hydrocarbons and volatile fatty acids.

Special measures: N/A.

Special hazards: Molten polymer may spread fire. Fire may produce irritating gases.

5.3. Advice for firefighters:

Clothing and gloves resistant to fire and SCBA.

RECREUS INDUSTRIES S.L. VAT: ESB54876479 C/El Envelope, F13-F14, Pol. Ind. Finca Lacy 03600, Elda (Alicante) - SPAIN



6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid contact with melted product and inhalation of vapors. Prevent inhalation of the polymer powder.

Keep unnecessary people away.

Personal protection: Use protective mask in presence of polymer powder.

In case of high concentrations of vapors from melted product, respiratory protective mask is recommended.

Wear safety goggles and waterproof gloves to avoid direct contact with melted product.

6.2. Environmental precautions

Avoid spillages to sewer and waterways, and avoid dispersion of the product.

6.3 Methods and material for containment and cleaning up

To prevent slipping and sliding, spills should be collected with shovels or other means and placed into suitable containers.

6.4 Reference to other sections

Section 8 contains more detailed advice on personal protective equipment and section 13 on waste disposal.

7. Handling and storage

7.1. Precautions for safe handling

General precautions: Do not smoke, eat, or drink while handling product.

Wear appropriate protective equipment in the areas of handling molten product.

Remove all sources of ignition in the area of product handling and storage.

Transport equipment should be properly grounded (static charge accumulation by friction).

Ensure safe systems of work.

Specific conditions: Good local exhaust ventilation system.

Protective mask in presence of vapors from melted product and powdery material.

7.2 Conditions for safe storage, including any incompatibilities

RECREUS INDUSTRIES S.L. VAT: ESB54876479 C/El Envelope, F13-F14, Pol. Ind. Finca Lacy 03600, Elda (Alicante) - SPAIN





Temperature and decomposition products: The product is stable under normal conditions.

Dangerous reactions: N/A

Storage conditions: Storage at room temperature and protect it from sunlight in cool and well ventilated places.

Storage in properly labeled and sealed containers.

Protect containers from fire.

Eliminate all possible sources of ignition.

Polymer has a marked tendency to build up static charge when transferred by pneumatic transport, so proper grounding should be ensured.

Never weld in storage areas without proper precautions.

Incompatible materials: Chlorine, furning nitric acid and strong oxidizing agents.

7.3 Specific end use(s)

See section 1 or exposure scenario.

8. Exposure controls/personal protection

8.1 Control parameters

N/A

DNEL: N/A
PNEC: N/A

8.2 Exposure control

Local appropriate ventilation. Do not smoke and avoid all ignition sources. Avoid prolonged contact and inhalation of vapors.

Individual protection measures, such as personal protective equipment

Ventilation: During fused deposition modeling operations, use with ventilation adequate to reduce levels of air contaminants below that which may cause personal injury or illness. Local exhaust ventilation that removes air contaminants from the breathing zone is prefered. General, mechanical, or dilution ventilation may be suitable.

Respiratory protection: Respiratory protective mask when melted product vapors or dust are present.

Skin protection: Gloves, appropriate footwear and clothing.

RECREUS INDUSTRIES S.L. VAT: ESB54876479 C/El Envelope, F13-F14, Pol. Ind. Finca Lacy 03600, Elda (Alicante) - SPAIN





Eye/face protection: Safety goggles to avoid splashes when handling melted product.

Other protective equipment: Showers and eye-washers in the work area.

Specific hygiene measures: Good work practices and the adoption of good personal hygiene measures reduce unnecessary exposures. Showers should be used. Use soap and no other solvents. Use skin reconditioning cream after work.

Medical Conditions Aggravated by Exposure: N/A

Environmental exposure controls:

Product should not reach the environment through wastewater or sewage. Measures to take in case of accidental release can be found in Section 6 of this information note about product safety.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Solid (pellets)

Odour: Odorless

Odour Threshold: N/A (*)

Colour: Whitish

pH: N/A (*)

Boiling Point ($^{\circ}$ C): N/A (*)

Melting point/freezing point (°C): 160-170°C

Flash point: > 320°C

Evaporation Rate: N/A (*)

Properties Flammable/Explosive: N/A (*)

Vapor pressure/vapor density: N/A (*)

Density: 0.902 g/cm3 (ASTM-D-1505)

Solubility/ies: Aromatic solvents at high temperatures.

Partition coefficient: n-octanol/water: N/A (*)

Auto-ignition temperature: N/A (*)

Decomposition temperature: N/A (*)





Viscosity: N/A (*)

Explosive properties: N/A (*)

Oxidising properties: N/A (*)

9.2 Other information

Heat of combustion: 10000 cal/g.

Water solubility: Insoluble.

(*) No data available at the time of writing or because it is not applicable due to the nature and danger of the product.

10. Stability and reactivity

Reactivity: N/A

Chemical stability: Stable material at room temperature. The powder polymer may explode.

Possibility of hazardous reactions: Chlorine, fuming nitric acid and strong oxidizing agents.

Conditions to avoid: Avoid direct contact with the flames and high temperatures.

Incompatible materials: N/A

Hazardous decomposition products: Decomposition products: At temperatures above 300°C it decomposes emitting hydrocarbons. Complete combustion products: CO2, and H2O. Incomplete combustion products: CO, soot, aldehydes, ketones, hydrocarbons and volatile fatty acids.

11. Toxicological information

11.1 Information on toxicological effects

The provided toxicological information results from the application of Annexes VII to XI of Regulation 1907/2006 (REACH).

Acute toxicity: N/A

Skin corrosion/irritation: N/A

Respiratory or skin sensitisation: N/A

Germ cell mutagenicity: N/A





Carcinogenicity: IARC classification: Group 3 (The product is not classifiable as to its carcinogenicity to humans).

Product rating corresponds to the comparison of the results from the toxicological studies with the criteria set out in Regulation (EC) No 1272/2008 for CMR, categories 1A and 1B.

Reproductive toxicity: No evidence of reproductive toxicity in mammals.

STOT-single exposure: N/A

STOT-repeated exposure: N/A

Aspiration hazard: N/A

12. Ecological information

Toxicity: No data on toxicity to aquatic organisms.

Persistence and degradability: The product has long hydrocarbon insoluble chains, which makes biodegradation not easy. Not easily removed from water or soil and has a high persistence in the environment.

Bioaccumulative potential: No bioaccumulative problems in living organisms or incidence in the trophic food web are expected.

Mobility in soil: N/A

Results of PBT and vPvB assessment: This mixture contains no substance considered to be PBT or vPvB.

Other adverse effects: N/A

13. Disposal considerations

13.1. Waste treatment methods

Disposal: Recycle material when possible. Dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Handling: Labeled and sealed containers.

Provisions: Establishments and companies which recover, dispose, store, transport or handle waste





should comply with Dir. 2008/98/EC on waste, or other local, national or community provisions.

14. Transport information

14.1. UN number: N/A

14.2. UN proper shipping name: N/A

14.3. Hazard classes for transportation: N/A

14.4. Packing group

ADR/RID: N/A

IATA-DGR: N/A

IMDG: N/A

14.5. Environmental hazards

ADR/RID: N/A

IATA-DGR: N/A

IMDG: N/A

14.6. Special precautions for user: Stable at room temperature during transport. To avoid spilling, transport in secure, properly sealed containers.

14.7. Transport in bulk in accordance with appendix II of the Marpol agreement and the IBC code: No category assigned for the IBC code.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 2015/830.

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Regulation (EC) No 1272/2008 of the European Parliament and the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 concerning Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

European Agreement concerning the international carriage of dangerous goods by road (ADR).





Regulation on the international transport of dangerous goods on the railway. (RID)

International maritime code of dangerous goods. (IMDG)

International Air Transport Association (IATA) regulation pertaining to air shipment.

International Bulk Chemical Code (IMSBC Code), MARPOL 73/78. .

Commission Regulation Other hazards

Propylene-ethylene copolymer (CAS: 9010-79-1) is listed in TSCA Chemical Inventory (EPA).

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

16. Other information

Glossary

MSDS: Material safety data sheet

CAS: Chemical Abstract Service

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists.

TLV: Threshold Limit Value

TWA: Time Weighted Average

STEL: Short-term Exposure Level

REL: Recommendable Exposure Limit

PEL: Permissible Exposure Limit

INSHT: Instituto Nacional de Seguridad e Higiene en el Trabajo.

VLA-ED: Environmental limit value - daily exposure

VLA-EC: Limit environmental value - short exposure

DNEL/DMEL: Derived no-effect level / Derivation of minimal effects levels

PNEC: Predicted No Effect Concentration

LD50: Lethal Dose Medium

RECREUS INDUSTRIES S.L. VAT: ESB54876479 C/El Envelope, F13-F14, Pol. Ind. Finca Lacy 03600, Elda (Alicante) - SPAIN





LC50: Lethal Concentration Medium

EC50: Effective Concentration Medium

IC50: Inhibitory Concentration Medium

BOD: Biological Oxygen Demand.

NOAEL: No observable adverse effect level

NOEL: No observed effect level

NOAEC: No observed adverse effect concentration

NOEC: No observed effect concentration

N/A: Not applicable

|| - |: Changes from the last revision

Databases consulted

EINECS: European Inventory of Existing Commercial Substances.

TSCA: Toxic Substances Control Act, US Environmental Protection Agency.

HSDB: US National Library of Medicine.

RTECS: US Dept. of Health & Human Services.

EINECS: European Inventory of Existing Commercial Substances.

TSCA: Toxic Substances Control Act, US Environmental Protection Agency.

HSDB: US National Library of Medicine.

RTECS: US Dept. of Health & Human Services

Hazard Class-and-Category shown in the document

N/A: Not applicable

INFORMATION NOTE ABOUT PRODUCT SAFETY

Purchasing companies have an obligation to ensure that their employees are properly trained on the safe handling and use of the product in accordance with the guidelines contained in this information note about product safety. Furthermore, companies purchasing this product are required to inform their

RECREUS INDUSTRIES S.L. VAT: ESB54876479 C/El Envelope, F13-F14, Pol. Ind. Finca Lacy 03600, Elda (Alicante) - SPAIN





employees, and individuals who could manipulate or use it within their facilities, about all indications included in the INFORMATION NOTE ABOUT PRODUCT SAFETY, in particular those relating to the product's risks to the health and safety of people and to the environment. Safety Information Sheet/Fact Sheet prepared in compliance with Article 32 of Regulation (EC) 1907/2006 (REACH), in order to communicate information down the supply chain for substances on their own or in mixtures for which a safety data sheet is not required in the SDS format. Therefore, this document does not constitute a Material Safety Data Sheet (MSDS/SDS) according to Article 31 of REACH, given that for the purposes of REACH, it is not compulsory to provide a MSDS/SDS for the substance or mixture covered under this Safety Information Sheet/Fact Sheet. The information contained in this Safety Information/Fact Sheet has been prepared by Repsol in accordance with the best available information based on technical data believed to be reliable at the time of issue. Recipients rely on the information at their own risk. Consequently, no aspect of this document should be construed as a recommendation on the use of any substance or mixture, nor as any use recommendation that may be in conflict with existing patents that may cover or protect any substance, mixture or product, or its use. This document does not constitute any license granting, and consequently the recipient is not granted freedom of operation under any patent owned by Repsol (the issuer of this document) or third parties. All information, and where appropriate, statements or suggestions contained in this Safety Information Sheet/Fact Sheet are exempt from warranty, express or implied, regarding the accuracy of the information, and the risk associated with the use of the same including marketing, fitness for a particular purpose and for any use, or that the use of such information will not infringe any patent. All implied warranties of merchantability or fitness for any purpose are expressly excluded and consequently Repsol assumes no responsibility for the results obtained or for any damage (including damage to people, property and environment) that may arise, in whole or in part, from the use made by the recipient of the information contained therein.

Disclaimer

Is under responsibility of the 3d printer parts manufacturer or end user the compliance of the plastic object, for the specific use, with the overall migration limit, the specific migration limit and other restrictions. Do not hesitate to contact our technical service for explanations, advising and for any other need.