



HARZ Labs Dental Soft Pink

Material safety data sheet (MSDS) according to Regulation (EC) No 1907/2006 (REACH) Version 1.3 / EN 26 November 2018







CONTENT

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	3
SECTION 2: HAZARDS IDENTIFICATION	3
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS	4
SECTION 4: FIRST AID MEASURES	4
SECTION 5: FIREFIGHTING MEASURES	5
SECTION 6: ACCIDENTAL RELEASE MEASURES	6
SECTION 7: HANDLING AND STORAGE	6
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION	
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	7
SECTION 10: STABILITY AND REACTIVITY	
SECTION 11: TOXICOLOGICAL INFORMATION	
SECTION 12: ECOLOGICAL INFORMATION	10
SECTION 13: DISPOSAL CONSIDERATIONS	
SECTION 14: TRANSPORT INFORMATION	11
SECTION 15: REGULATORY INFORMATION	11
SECTION 16: ADDITIONAL INFORMATION	12



SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Product Name

Product	Nam
CAS #	

HARZ Labs "Dental Soft Pink" Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised againstIdentified usesResin for 3D printing tough dental models on
stereolithographic 3D printers. NOT FOR INTRAORAL USE!

1.3 Details of the supplier of the safety data sheet

Company Name Company Address Contact Name Phone / Fax Email HARZ Labs LLC. Ulitsa Tvardovskogo, 8 b.1, Moscow, 123458 Adamov Andrey Vladimirovich +74952910200 info@harzlabs.ru

1.4 Emergency telephone number

+74952910200

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture		
Classification according to	Skin sensitization, category 1B	
Regulation (EC) No 1272/2008	Chemical products with chronic aquatic toxicity, class 2	

2.2 Label elements Hazard pictograms

> Signal word Hazard statements

Precautionary statements



H317: May cause an allergic skin reaction
H411: This is toxic to aquatic organisms with long-term effects
P261: Avoid breathing dust/fume/gas/mist/vapours/ substances in an atomized state
P272: Do not remove contaminated clothing from the workplace
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye / face protection
P302 + P352: If on skin: Wash with plenty of soap and water



P333 + P313: if skin irritation or rash occurs, seek medical advice
P321: Application of special measures (see label information)
P363: Wash contaminated clothing before use
P391: collect spillage
P501: Dispose of contents in accordance with Federal regulations

Product does not contain any PBT or vPvB substances

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

2.3 Other hazards

Not applicable

3.2 Mixtures				
Substance name	EC No	CAS No	Classification	Concentration
			GHS07	
Urethane methacrylate			GHS09	
oligomer*	-	-	Warning	50-70% **
oligoittei			Skin Sens. 1B; H317	
			Aquatic Chronic 2; H411	
Propylene glycol	200-338-0	57-55-6	Aquatic chronic Cat 3	10-20 %
2-hydroxypropyl methacrylate	212-782-2	212-782-2 868-77-9 Eye Irrit. 2; H319 Skin Sens. 1B; H317	GHS07	1 [0/ **
			Warning	
			1-5% **	
			Skin Sens. 1B; H317	
Phenylbis(2,4,6- trimethylbenzoyl)phosphine	423-340-5		GHS09	
		23-340-5 162881-26-7	Warning	1 20/ **
			Aquatic Acute 4; H413,	1-3% **
oxide			Skin Sens. 1; H317	

* The exact name of the components, CAS number, EC number are not provided, as they are a trade secret of the manufacturer (supplier).

** The exact percentage of the components is not provided, as it is a trade secret of the manufacturer (supplier).


SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information Inhalation

Get medical attention if required.

Remove victim to fresh air and keep at rest in a comfortable for breathing. Do not block the access of air. Loosen tightly



4.2 Most important symptoms and effects, both acute and delayed

·=····································	
Inhalation	Not installed
Skin contact	May cause an allergic skin reaction. Side effects in case of
	prolonged contact: redness, irritation, rash.
Eye contact	Not installed.
Ingestion	Not installed.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. If the products of decay during
combustion got into the respiratory system, symptoms may
occur later. The victim may need medical supervision within
48 hours/
No specific treatment.

SECTION 5: FIREFIGHTING MEASURES

- 5.1 Extinguishing media
 Suitable extinguishing media
 Unsuitable extinguishing
 Do not use direct water jets.
 media
- 5.2 Special hazards arising from the substance or mixture Hazardous combustion Fire and explosion proof. products
- 5.3 Advice for fire-fighters



During a fire, promptly isolate the scene by removing all persons from the vicinity of. Use normal fire fighting procedures not forgetting about the danger that can come from other materials. For cooling of the closed containers which are in the fire center, to use the sprayed water. Hold on to the windward side. Collect contaminated fire fighting water separately. It is unacceptable to enter the sewer system
In case of fire it is necessary to wear a self-contained breathing apparatus (SCBA) and a full set of protective clothing that meets the standard EN 469.

SECTION 6: ACCIDENTAL RELEASE MEASURES

 6.1 Personal precautions, protective equipment and emergency procedures For non-emergency personnel Forms a slippery surface at spill. Clean up leaks immedities to prevent falling on slippery surfaces. To eliminate solor of sparks and flames. Avoid contact. 	
For emergency responders	Use proper PPE as indicated in Section 8.
6.2 Environmental precautions Environmental precautions	Do not allow to enter waste water, groundwater. Inform the relevant organizations in case of damage to the environment.
6.3 Methods and materials for co Methods for cleaning up	ontainment and cleaning up Absorb with vermiculite or other inert absorbent materials. Send for disposal (see Section 13). Spill area, wash with warm water using chemical cleaners.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling Protective measures	If necessary, use personal protective equipment (see Section 8). Do not eat, drink or smoke during use of product. Wash hands before breaks and after work
7.2 Conditions for safe storage, inc	cluding any incompatibilities
Technical measures and storage	Store in the closed original container in a cool, dry well-
conditions	ventilated place away from incompatible materials, direct sunlight, sources of ignition and heat.

Packaging materials

Metal or plastic container



7.3 Specific end uses Recommendations

Use only for its intended purpose in accordance with the instructions for use and/or packing instructions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters Exposure limit values		No components with occupational exposure limits.
8.2 Exposure controls Appropriate Engineering Measures	5	Facilities must be provided by a system of local and General ventilation. Work with the product in a well-ventilated area. Normal precautions should be taken when handling chemicals.
Individual protection me such as personal pr equipment		
Eye and face protect	ion	It is recommended to use safety goggles according to EN 166 in case of risk of splashing.
Skin protection		Protective rubber or neoprene gloves according to EU 89/686/EEC and standard EN 374.
Body Protection		Working protective clothing with long sleeves.
Respiratory protection	on	Not required in the presence of good ventilation. When working with the product for a long time at elevated temperatures, it is recommended to use full face masks equipped with combined filters or filters of ABEK (EN 14387).
	xposure	
controls		Do not empty into drains
Hygiene Measures		To maintain the work place clean. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of the working day. Take off contaminated clothing and wash before reuse.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State
Colour
Odour
рН
Melting point/Freezing point

Liquid Pink Not odour No data available No data available



Initial boiling point/boiling	
range	No data available
Flash point	>100°C
Evaporation rate	No data available
Flammability Limits	No data available
Explosive limits	No data available
Vapour pressure	No data available
Vapour density	Not applicable
Relative Density	1.0 – 1.2 g/ml
Solubility(ies)	Insoluble
Partition coefficient	
Octanol/Water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity @20±2°C	500 - 800 mPa*s
Explosive properties	Non-explosive
Oxidizing Properties	No
Possibility of hazardous	
reactions	Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	There are no hazardous reactions in compliance with the requirements/instructions for storage and use
10.2	Chemical stability	Product is stable, if the regulations/notes for storage and handling
10.3	Possibility of hazardous	s reactions None under normal processing
10.4	Conditions to avoid	Exposure to open fire and high temperatures, direct sunlight and water. It is polymerized under the influence of white light, ultraviolet radiation and when heated
10.5	Incompatible materials	Strong acids (including inorganic), alkalis, peroxides, amines, organic sulfur compounds, heavy metals, oxidizing agents, reducing agents, bases, alcohols, initiators of radical polymerization



10.6 Hazardous decomposition products

In the case of compliance with the regulations/notes for storage and use, hazardous decomposition products are not highlighted. In case of fire: see Section 5

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information o Acute toxicity	n toxicological eff No acu	fects te toxicity - based on con	nponent data:	
Substance name	EC №	CAS №	Test	
Urethane methacrylate oligomer*	-	-	If swallowed: LD50>5000 mg / kg (rats) If inhaled: Not applicable. In case of skin contact: LD50>2000 mg / kg (rats)	
2-hydroxypropyl methacrylate	213-090-3	923-26-2	If swallowed: LD50>5000 mg / kg (rats) If inhaled: No data available. In case of skin contact: LD50>5000 mg / kg (rats)	
Propylene glycol	200-338-0	57-55-6	If swallowed: LD50 151—5000 mg / kg (rats) If inhaled: No data available. In case of skin contact: LD50 501—2500 mg / kg (rats)	
Phenylbis(2,4,6- trimethylbenzoyl)phosphine oxide	423-340-5	162881-26-7	If swallowed: LD50>2500 mg / kg (rats) If inhaled: LC50>1 mg / I (rats, 4 h) In case of skin contact: LD50>2000 mg / kg (rats)	

Skin corrosion/irritation	Not irritating
Serious eye damage/eye irritation	
	Not irritating
Respiratory or skin sensitisation	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified
Carcinogenicity	IARC, NTP, OSHA, ACGIH: Not listed by IARC
Reproductive toxicity	Not classified
STOT - SE	Not classified
STOT - RE	Not classified



Aspiration hazard

No data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Aquatic toxicity

Acute toxicity for aquatic organisms is missing, has chronic toxicity for algae and cyanobacteria – based on data on the components

Substance name	EC №	CAS №	Toxicity to fish	Toxicity to invertebrate s	Toxicity to algae and cyanobacteri a	Toxicity to microorganisms
Urethane methacrylate oligomer*	-	-	Danio rerio LC50 (96h) =10,1 mg/l	Daphnia magna EC50 (48h) >1,2 mg/l	Desmodesm us subspicatus ErC50 (72h) =0,68 мг/л NOErC(72h) =0,21 мг/л	NOEC (14d) ≥36,1 mg/l
2-hydroxypropyl methacrylate	213-090-3	923-26-2	Oryzias latipes LC50 (96h) >100 mg/l	Daphnia magna EC50 (48h) >380 mg/l	Selenastrum capricornutu m EC50 (72ч) =836 мг/л	_
Propylene glycol	200-338-0	57-55-6	-	-	-	-
Phenylbis(2,4,6- trimethylbenzoyl) phosphine oxide	423-340-5	162881-26-7	Danio rerio LC50 (96h) =24 mg/l	Daphnia magna EC50 (48h) =53.9 mg/l	Desmodesm us subspicatus EC50 (72h) =17,3 mg/l NOEC(72h) =0,7 mg/l	Activated sludge EC50 (3h) >100 mg/l

12.2 Persistence and Degradability Biodegradation No data available

12.3 Bioaccumulative potential Bioaccumulative potential No data available Partition coefficient It has low mobility in the soil

12.4 Mobility in soil Mobility

Is not likely mobile in the environment due its low water solubility

12.5 Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances



12.6 Other adverse effects

No data available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product / Packaging disposal	For utilization it is necessary to contact the relevant
	company. Otherwise, disposal is carried out in accordance
	with Federal environmental regulations
Contaminated packaging	Dispose of the package as well as the contents

SECTION 14: TRANSPORT INFORMATION

ADR/RID Not regulated IMDG/IMO Not regulated ICAO/IATA Not regulated ADN Not regulated

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	EU Regulation (EC) No 1907/2006 (REACH)
	EU Regulation (EC) No 1272/2008 (CLP)
Other EU regulations	 Directive 89/686/EEC: personal protective equipment. ISO EN 374-1:2016: Gloves that protect against chemicals and microorganisms. Part 1. Terminology and requirements for gloves for protection against chemicals. EN 166: 2002: personal eye protection. General technical requirements. EN 469: 2005: protective clothing for firefighters. Requirements for protective clothing for firefighters. EN 14387:2004+A1:2008: means of individual protection of respiratory organs. The gas filters and combined. General technical requirements. Test method. Marking

15.2 Chemical Safety Assessment

No data available



SECTION 16: ADDITIONAL INFORMATION

16.1 complete list of H-phrases

ARZ Labs

MATERIALS FOR 3D PRINTING

H317: May cause an allergic skin reactionH319: Causes serious eye irritationH402: Harmful to aquatic lifeH411: Toxic to aquatic organisms with long-termeffects

16.2 Abbreviations and acronyms

CAS: Chemical Abstracts Service (division of the American Chemical Society) EC: European Community number ACGIH: American Conference of Governmental Industrial Hygienists NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration IARC: International Agency for Research on Cancer NTP: National Toxicology Program vPvB: Very persistente and very bioaccumulative PBT: Polybutylene Terephthalate PPE: Personal protective equipment SCBA: Self-contained breathing apparatus EL50: 50% Effect Loading LC50: Median lethal concentration LD50: Median lethal dose LL50: 50% Lethal Loading NOEC: No Observable Effect Level bw: body weight STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure ADR/RID: Accord Dangereuses Route/International Carriage of Dangerous Goods by Rail IMDG/IMO: International Maritime Dangerous Goods/International Maritime Organisation ICAO/IATA: International Civil Aviation Organization/International Air Transport Association ADN: International Carriage of Dangerous Goods by Inland Waterways

16.3 Training advice

Read the safety data sheet before using the product



16.4 Further information

Date of issue: 26.11.2018 Version no. 1.3

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall OOO «XAPL Ja6c»(HARZ Labs LLC) be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if OOO «XAPL Ja6c»(HARZ Labs LLC) has been advised of the possibility of such damages.