



# HARZ Labs PP-like

Material safety data sheet (MSDS) according to Regulation (EC) No 1907/2006 (REACH) Version 1.0 / EN 08 June 2021





# CONTENT

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING	3
SECTION 2: HAZARDS IDENTIFICATION	3
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS	4
SECTION 4: FIRST AID MEASURES	4
SECTION 5: FIREFIGHTING MEASURES	
SECTION 6: ACCIDENTAL RELEASE MEASURES	6
SECTION 7: HANDLING AND STORAGE	6
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION	
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	7
SECTION 10: STABILITY AND REACTIVITY	
SECTION 11: TOXICOLOGICAL INFORMATION	
SECTION 12: ECOLOGICAL INFORMATION	9
SECTION 13: DISPOSAL CONSIDERATIONS	
SECTION 14: TRANSPORT INFORMATION	11
SECTION 15: REGULATORY INFORMATION	11
SECTION 16: ADDITIONAL INFORMATION	11



# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Product Name

Prod	luct	Ν	an
CAS	#		

HARZ Labs "PP-like" Mixture

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

   Identified uses
   Resin for 3D printing PP-like models on stereolithographic 3D

   printers. NOT FOR INTRAORAL USE!
- 1.3 Details of the supplier of the safety data sheet

Company Name	HARZ Labs LLC.
Company Address	Ulitsa Tvardovskogo, 8 b.1, Moscow, 123458
Contact Name	Adamov Andrey Vladimirovich
Phone / Fax	+74952910200
Email	info@harzlabs.ru

1.4 Emergency telephone number

+74952910200

# SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substa	ance or mixture
Classification according to	Skin sensitization, category 1B
Regulation (EC) No	Chemical products with chronic aquatic toxicity, class 2
1272/2008	

2.2 Label elements Hazard pictograms

> Signal word Hazard statements

Precautionary statements



Carefully H317: May cause an allergic skin reaction H411: This is toxic to aquatic organisms with long-term effects P261: Avoid breathing dust/fume/gas/mist/vapours/ substances in an atomized state P272: Do not remove contaminated clothing from the workplace P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye / face protection P302 + P352: If on skin: Wash with plenty of soap and water



	P333 + P313: if skin irritation or rash occurs, seek medical advice
	P321: Application of special measures (see label information) P363: Wash contaminated clothing before use P391: collect spillage P501: Dispose of contents in accordance with Federal regulations
2.3 Other hazards	
	Product does not contain any PBT or vPvB substances

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Substance name	EC No	CAS No	Classification	Concentration
			GHS07	
Urethane methacrylate			GHS09	
oligomer*	-	-	Warning	30-45% **
oligomer			Skin Sens. 1B; H317	
			Aquatic Chronic 2; H411	
Acrylic monomer	-	-	-	30-50% **
Diphenyl			GHS09	
. ,	278-355-8	75980-60-8	Warning	1-5% **
	270-555-0	/5980-00-8	Aquatic Acute 4; H413,	1-370
phosphine oxide			Skin Sens. 1; H317	

\* The exact name of the components, CAS number, EC number are not provided, as they are a trade secret of the manufacturer (supplier).

\*\* The exact percentage of the components is not provided, as it is a trade secret of the manufacturer (supplier).

# SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General information Inhalation

Get medical attention if required.

Remove victim to fresh air and keep at rest in a comfortable for breathing. Do not block the access of air. Loosen tightly fitting pieces of clothing, such as a collar, tie, belt, or waistband. If breathing is difficult, breathing, qualified personnel should give oxygen. In case of respiratory arrest, use artificial respiration and seek medical advice immediately.

HARZ Labs	Material Safety Data Sheet HARZ Labs PP-like 08 June 2021 Version 1.0
	Version 1.0
Skin contact	Change contaminated clothing. After contact with skin, wash
	with plenty of water and soap for 10 minutes. If skin irritation
- · ·	or rash occurs get medical help.
Eye contact	Rinse your eyes, flush eyes with plenty of water for 15
	minutes in a well open eye slit. Remove contact lenses if you use them and if it is easy to do. Continue rinsing eyes. If
	irritation persists, consult your doctor.
Ingestion	Rinse your mouth, drink 1.5-2 cups of warm water with
5	activated charcoal, saline laxative. Do not induce vomiting
	unless required to do so by medical personnel. In case of
	spontaneous vomiting, keep head below hips to prevent
	breathing vomit into the lungs. To seek medical help. Do not
	induce vomiting in an unconscious person.
4.2 Most important symptoms	and effects, both acute and delayed
Inhalation	Not installed
Skin contact	May cause an allergic skin reaction. Side effects in case of
	prolonged contact: redness, irritation, rash.
Eye contact	Not installed.
Ingestion	Not installed.
4.3 Indication of any immediate	e medical attention and special treatment needed
Notes to physician	Treat symptomatically. If the products of decay during
	combustion got into the respiratory system, symptoms may
	occur later. The victim may need medical supervision within
	48 hours/
Specific treatments	No specific treatment.

#### SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media	Use carbon dioxide, powder, foam, fine water.
Unsuitable extinguishing	Do not use direct water jets.
media	

5.2 Special hazards arising from the substance or mixture

Hazardous combustionFire and explosion proof.products

#### 5.3 Advice for fire-fighters

Special protective actions for fire-fighters

During a fire, promptly isolate the scene by removing all persons from the vicinity of. Use normal fire fighting procedures not forgetting about the danger that can come from other materials. For cooling of the closed containers



which are in the fire center, to use the sprayed water. Hold on to the windward side. Collect contaminated fire fighting water separately. It is unacceptable to enter the sewer system

Special protective equipment for fire-fighters

In case of fire it is necessary to wear a self-contained breathing apparatus (SCBA) and a full set of protective clothing that meets the standard EN 469.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protect For non-emergency personnel	ive equipment and emergency procedures Forms a slippery surface at spill. Clean up leaks immediately to prevent falling on slippery surfaces. To eliminate sources of sparks and flames. Avoid contact.
For emergency responders	Use proper PPE as indicated in Section 8.
6.2 Environmental precautions Environmental precautions	Do not allow to enter waste water, groundwater. Inform the relevant organizations in case of damage to the environment.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Absorb with vermiculite or other inert absorbent materials. Send for disposal (see Section 13). Spill area, wash with warm water using chemical cleaners.

# SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling Protective measures
  If necessary, use personal protective equipment (see Section 8). Do not eat, drink or smoke during use of product. Wash hands before breaks and after work
- 7.2 Conditions for safe storage, including any incompatibilities
   Technical measures and storage conditions
   Packaging materials
   Store in the closed original container in a cool, dry well-ventilated place away from incompatible materials, direct sunlight, sources of ignition and heat.
   Metal or plastic container
- 7.3 Specific end uses Recommendations

Use only for its intended purpose in accordance with the instructions for use and/or packing instructions.



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters Exposure limit values	No components with occupational exposure limits.
8.2 Exposure controls Appropriate Engineering Measures	Facilities must be provided by a system of local and General ventilation. Work with the product in a well-ventilated area. Normal precautions should be taken when handling chemicals.
Individual protection	
measures, such as personal	
protective equipment	
Eye and face protection	It is recommended to use safety goggles according to EN 166 in case of risk of splashing.
Skin protection	Protective rubber or neoprene gloves according to EU 89/686/EEC and standard EN 374.
Body Protection	Working protective clothing with long sleeves.
Respiratory protection	Not required in the presence of good ventilation. When working with the product for a long time at elevated temperatures, it is recommended to use full face masks equipped with combined filters or filters of ABEK (EN 14387).
Environmental exposure	
controls	Do not empty into drains
Hygiene Measures	To maintain the work place clean. Do not eat, drink or smoke while working. Wash hands before breaks and at the end of the working day. Take off contaminated clothing and wash before reuse.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical State	Liquid
Colour	Transparent or opaque liquid, depending on the color
Odour	Not odour
рН	No data available
Melting point/Freezing point	No data available
Initial boiling point/boiling	
range	No data available
Flash point	>100°C
Evaporation rate	No data available



Flammability Limits	No data available
Explosive limits	No data available
Vapour pressure	No data available
Vapour density	Not applicable
Relative Density	1.0 – 1.2 g/ml
Solubility(ies)	Insoluble
Partition coefficient	
Octanol/Water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity @20±2°C	500-800 mPa*s
Explosive properties	Non-explosive
Oxidizing Properties	No
Possibility of hazardous	
reactions	Not applicable

# SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity	There are no hazardous reactions in compliance with the requirements/instructions for storage and use
10.2	Chemical stability	Product is stable, if the regulations/notes for storage and handling
10.3	Possibility of hazardous	s reactions None under normal processing
10.4	Conditions to avoid	Exposure to open fire and high temperatures, direct sunlight and water. It is polymerized under the influence of white light, ultraviolet radiation and when heated
10.5	Incompatible materials	Strong acids (including inorganic), alkalis, peroxides, amines, organic sulfur compounds, heavy metals, oxidizing agents, reducing agents, bases, alcohols, initiators of radical polymerization
10.6	Hazardous decomposit	ion products In the case of compliance with the regulations/notes for storage and use, hazardous decomposition products are not highlighted. In case of fire: see Section 5



#### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity	No acute toxicity - based on component data:			
Substance name	EC Nº	CAS №	Test	
Urethane methacrylate oligomer*	-	-	If swallowed: LD50>5000 mg / kg (rats) If inhaled: Not applicable. In case of skin contact: LD50>2000 mg / kg (rats)	
Acrylic monomer	-	-	-	
Diphenyl (2,4,6- trimethylbenzoyl) phosphine oxide	278-355-8	75980-60-8	If swallowed: LD50>2500 mg / kg (rats) If inhaled: LC50>1 mg / I (rats, 4 h) In case of skin contact: LD50>2000 mg / kg (rats)	

Skin corrosion/irritation	Not irritating	
Serious eye damage/eye		
irritation	Not irritating	
Respiratory or skin sensitisation	May cause an allergic skin reaction	
Germ cell mutagenicity	Not classified	
Carcinogenicity	IARC, NTP, OSHA, ACGIH: Not listed by IARC	
Reproductive toxicity	Not classified	
STOT - SE	Not classified	
STOT - RE	Not classified	
Aspiration hazard	No data available	

#### SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity Aquatic toxicity

Acute toxicity for aquatic organisms is missing, has chronic toxicity for algae and cyanobacteria – based on data on the components



Substance name	EC Nº	CAS №	Toxicity to fish	Toxicity to invertebrates	Toxicity to algae and cyanobacteria	Toxicity to microorganisms
Urethane methacrylate oligomer*	-	-	Danio rerio LC50 (96h) =10,1 mg/l	Daphnia magna EC50 (48h) >1,2 mg/l	Desmodesmus subspicatus ErC50 (72h) =0,68 мг/л NOErC(72h) =0,21 мг/л	NOEC (14d) ≥36,1 mg/l
Acrylic monomer	-	-	-	-	-	-
Diphenyl (2,4,6- trimethylbenzoyl) phosphine oxide	278-355-8	75980- 60-8	Danio rerio LC50 (96h) =24 mg/l	Daphnia magna EC50 (48h) =53.9 mg/l	Desmodesmus subspicatus EC50 (72h) =17,3 mg/l NOEC(72h) =0,7 mg/l	Activated sludge EC50 (3h) >100 mg/l

#### 12.2 Persistence and Degradability Biodegradation No data available

12.3	Bioaccumulative potential	
Bio	accumulative potential	No data available
Par	tition coefficient	It has low mobility in the soil

- 12.4Mobility in soilMobilityIs not likely mobile in the environment due its low water solubility
- 12.5 Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances

12.6 Other adverse effects

No data available

# SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods



Product / Packaging disposal	For utilization it is necessary to contact the relevant	
	company. Otherwise, disposal is carried out in accordance	
	with Federal environmental regulations	
Contaminated packaging	Dispose of the package as well as the contents	

#### SECTION 14: TRANSPORT INFORMATION

ADR/RID Not regulated IMDG/IMO Not regulated ICAO/IATA Not regulated ADN Not regulated

#### SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations	EU Regulation (EC) No 1907/2006 (REACH) EU Regulation (EC) No 1272/2008 (CLP)
Other EU regulations	<ul> <li>Directive 89/686/EEC: personal protective equipment.</li> <li>ISO EN 374-1:2016: Gloves that protect against chemicals and microorganisms. Part 1. Terminology and requirements for gloves for protection against chemicals.</li> <li>EN 166: 2002: personal eye protection. General technical requirements.</li> <li>EN 469: 2005: protective clothing for firefighters.</li> <li>Requirements for protective clothing for firefighters.</li> <li>EN 14387:2004+A1:2008: means of individual protection of respiratory organs. The gas filters and combined. General technical requirements. Test method. Marking</li> </ul>
5.2 Chemical Safety Assess	ment

15.2 Chemical Safety Assessment

No data available

#### SECTION 16: ADDITIONAL INFORMATION

16.1 complete list of H-phrases

H317: May cause an allergic skin reactionH319: Causes serious eye irritationH402: Harmful to aquatic life



H411: Toxic to aquatic organisms with long-term effects

#### 16.2 Abbreviations and acronyms

CAS: Chemical Abstracts Service (division of the American Chemical Society) EC: European Community number ACGIH: American Conference of Governmental Industrial Hygienists NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety and Health Administration IARC: International Agency for Research on Cancer NTP: National Toxicology Program vPvB: Very persistente and very bioaccumulative PBT: Polybutylene Terephthalate PPE: Personal protective equipment SCBA: Self-contained breathing apparatus EL50: 50% Effect Loading LC50: Median lethal concentration LD50: Median lethal dose LL50: 50% Lethal Loading NOEC: No Observable Effect Level bw: body weight STOT SE: Specific target organ toxicity - single exposure STOT RE: Specific target organ toxicity - repeated exposure ADR/RID: Accord Dangereuses Route/International Carriage of Dangerous Goods by Rail IMDG/IMO: International Maritime Dangerous Goods/International Maritime Organisation Aviation ICAO/IATA: International Civil Organization/International Air Transport Association ADN: International Carriage of Dangerous Goods by Inland Waterways Read the safety data sheet before using the product

#### 16.4 Further information

Training advice

16.3

Date of issue: 08.06.2021 Version no. 1.0

The information above is believed to be accurate and represents the best information currently available to



us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall OOO «XAPLJ Лабс» (HARZ Labs LLC) be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if OOO «XAPLJ Лабс» (HARZ Labs LLC) has been advised of the possibility of such damages.